

Clone a remote Repo

Clone Repo

Go into the directory, where you want to receive the directory of the repository to be cloned: To clone a repository from a remote to your local machine, use git clone:

```
$ git clone <repository-url>
```

The <repository-url> you can find in the browser bar of github or forgejo. Which will look something like this:

```
$ git clone http://192.168.178.86:3000/git-admin/homesite
-----
Cloning into 'homesite'...
remote: Enumerating objects: 139, done.
remote: Counting objects: 100% (139/139), done.
remote: Compressing objects: 100% (98/98), done.
remote: Total 139 (delta 38), reused 139 (delta 38), pack-reused 0
Receiving objects: 100% (139/139), 1.84 MiB | 41.92 MiB/s, done.
Resolving deltas: 100% (38/38), done.
```

This creates a new folder named after the repo (homesite) into your current working directory, containing the full project and its git history, already **connected to the remote as origin**.

After cloning

Change into the repo directory and you're ready to work with it. If you want to confirm the remote is set correctly, run git remote -v inside the folder — it should show origin pointing to the URL you cloned from.

```
$ cd homesite

$ git remote -v
-----
origin  http://192.168.178.86:3000/git-admin/homesite (fetch)
origin  http://192.168.178.86:3000/git-admin/homesite (push)
```

From:
<https://wiki.oscardegroot.nl/> - HomeWiki

Permanent link:
<https://wiki.oscardegroot.nl/doku.php?id=computing:git:clone-remote-repo&rev=1787909867>

Last update: 2026/08/28 09:37

