

# Base Setup

---

## OS installation

Download PI OS image and follow the image installation steps.

## Enable ssh

In order to be able to remote ssh into the server edit the sshd configuration file. And set the following parameters:

```
# nano /etc/ssh/sshd_config
-----

# Authentication:

LoginGraceTime 2m
AllowUsers root pi
PermitRootLogin yes
StrictModes yes
#MaxAuthTries 6
#MaxSessions 10

-----

# systemctl restart ssh
```

## Networking

### /etc/hostname

```
# nano /etc/hostname
-----
domoticz
```

### /etc/hosts

```
# nano /etc/hosts
-----
127.0.0.1    localhost
::1         localhost ip6-localhost ip6-loopback
ff02::1     ip6-allnodes
```

```
ff02::2    ip6-allrouters
127.0.1.1  domoticz
```

## **/etc/network/interfaces**

```
# nano /etc/network/interfaces
-----
auto lo eth0
iface lo inet loopback

#iface eth0 inet manual
iface eth0 inet static
address 192.168.178.xx
netmask 255.255.255.0
network 192.168.178.0
broadcast 192.168.178.255
gateway 192.168.178.1
```

## **resolv.conf**

```
# nano /etc/resolv.conf
-----
nameserver 192.168.178.1
nameserver fdad:66:67:a::1
```

# **Migrate Root Filesystem to F2FS**

[Raspberry SD card](#)

## **Adjust fstab**

```
# nano /etc/fstab
-----
proc          /proc          proc           defaults          0          0
PARTUUID=5d3fca68-01 /boot/firmware vfat           defaults          0          2
PARTUUID=5d3fca68-02 /               f2fs           defaults,noatime,nodiratime 0
1
tmpfs         /var/log       tmpfs
defaults,noatime,nosuid,mode=0755,size=80m 0 0
tmpfs         /var/tmp       tmpfs
defaults,noatime,nosuid,size=30m            0 0
```



```

instead (see apt-key(8)).
/etc/apt/trusted.gpg
-----
pub   rsa2048 2012-04-01 [SC]
      A0DA 38D0 D76E 8B5D 6388  7281 9165 938D 90FD DD2E
uid           [ unknown] Mike Thompson (Raspberry Pi Debian armhf ARMv6+VFP)
<mpthompson@gmail.com>
sub   rsa2048 2012-04-01 [E]

/etc/apt/trusted.gpg.d/raspberrypi-archive-stable.gpg
-----
pub   rsa2048 2012-06-17 [SC]
      CF8A 1AF5 02A2 AA2D 763B  AE7E 82B1 2992 7FA3 303E
uid           [ unknown] Raspberry Pi Archive Signing Key
sub   rsa2048 2012-06-17 [E]

```

The offending key is the first one (Mike Thompson). You should take the last 8 characters (excluding the space) under the line after pub. So from the line "A0DA 38D0 D76E 8B5D 6388 7281 9165 938D 90FD DD2E", I'll take the last 8 characters "90FD DD2E", remove the space and then use it to import the GPG key in its dedicated file under the /etc/apt/trusted.gpg.d directory:

```
sudo apt-key export 90FDDDD2E | sudo gpg --dearmor -o /etc/apt/trusted.gpg.d/mikethompson.gpg
```

I created a new file mikethompson.gpg here. The filename does not matter but it's good for identification. If the command runs successfully, you won't see any message. You can verify that by checking if the newly created gpg file exists or not.

## Power Saving

- Disable the blinking cursor: [Cursor blink off](#)
- Configure PowerTop: [Powertop](#)
- Tune ASPM: [ASPM on Linux](#)

## Install frequently used packages

```

# apt-get install sudo
# apt-get install iputils-ping
# apt-get install nano
# apt-get install less

```

From:  
<https://wiki.oscardegroot.nl/> - HomeWiki

Permanent link:  
<https://wiki.oscardegroot.nl/doku.php?id=domoticz:base-system&rev=1697734884>

Last update: **2023/10/19 17:01**



