

Setup ssh-key exchange

It is possible to automatically login in a ssh session on a remote system, without entering a password. Also copying files with scp without password is possible. To make this possible a public ssh key needs to be exchanged between the source and the target system. On the source system an ssh key pair is generated. The public key is transferred to the target system and will be used to validate the login attempt that is signed with the private key.

Key Generation on Source System

The next commands should be performed by the user that wants to ssh/scp to the target system. Steps below assume that this is the root user, but this could also be www-data, etc. As user on the source system, use ssh-keygen to generate a public/private key pair. As a password, you would type nothing (just enter). This will save the public key in `/root/.ssh/id_rsa.pub` and the private key in `/root/.ssh/id_rsa`, if you don't specify another location.

```
# cd /root/.ssh
# ssh-keygen -t rsa -b 2048
-----
# Generating public/private rsa key pair.
Enter file in which to save the key (/root/.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /root/.ssh/id_rsa.
Your public key has been saved in /root/.ssh/id_rsa.pub.
```

Public Key Exchange

To allow the user on the source system to ssh to the target system, you need to place the users public key into authorized list of the user on the target system. There are 2 different ways to achieve this:

- Manual
- With 'ssh-copy-id'

Key transfer - Manual

Append client's public key (`BackupPC_id_rsa.pub`) to root's `/root/.ssh/authorized_keys2` file on the client:

On the Target System

Get the public key from the client system and add it to the 'authorized keys':

```
# cd /root/.ssh
# scp oscar@192.168.xx.xx:/home/oscar/.ssh/id_rsa.pub client_id_rsa.pub
# touch ~/.ssh/authorized_keys2
# cat client_id_rsa.pub >> ~/.ssh/authorized_keys2
# rm client_id_rsa.pub
```

Key transfer - with ssh-copy-id

Copy your keys to the target system:

```
$ ssh-copy-id -i id_rsa.pub root@targetsystem
```

```
remoteusername@targetsystem's password:
```

Now try logging into the machine, with ssh 'remoteusername@targetsystem'. The key of your system should now be placed in the .ssh subdirectory in the home directory of remoteusername on the target system.

```
/home/remoteusername/.ssh/authorized_keys
```

or

```
/root/.ssh/authorized_keys
```

or on openwrt:

```
/etc/dropbear/authorized_keys
```

On the Client System

You need to place the target's public key into client's ~/.ssh/known_hosts file, otherwise you will get a "Host key verification failed." error, and the client will not be able to log into the target system. To place the target public key into the ~/.ssh/known_hosts file, you need to do this (make sure ~/.ssh/target_id_rsa.pub is the client's public key, which needs to be copied from the target system):

```
$ scp root@192.168.xx.xx:/root/.ssh/id_rsa.pub target-key.pub
$ touch ~/.ssh/known_hosts
$ cat ~/.ssh/target-key.pub >> ~/.ssh/known_hosts
$ rm target-key.pub
```

Or simply try to ssh from client to target as root. The key will be placed automatically in known_hosts file.

On the Target System

This might not be necessary if the client key has already been created for other targets, so you can

reuse it. Repeat the above steps for the user 'oscar' on the client that will execute the ssh. Login as user on the client and perform the following steps:

```
$ cd /home/oscar/.ssh
$ ssh-keygen -t rsa -b 2048
-----
# Generating public/private rsa key pair.
Enter file in which to save the key (/home/oscar/.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/oscar/.ssh/id_rsa.
Your public key has been saved in /home/oscar/.ssh/id_rsa.pub.
```

After this the file `~/.ssh/id_rsa.pub` should exist in the `.ssh` in the home directory of user 'oscar'. Make a copy of the public key to make it recognizable.

Test

This should now work from the server to the client:

```
$ ssh root@192.168.xx.xx
```

If everything went ok, you should be logged in directly without a password prompt.

From:
<https://wiki.oscardegroot.nl/> - HomeWiki

Permanent link:
<https://wiki.oscardegroot.nl/doku.php?id=linux:debian:ssh-key-transfer&rev=1694104532>

Last update: **2023/09/07 16:35**

